



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 31 DEC 2003

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Signed

Dated 13 October 2003

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference	- 6 DEC 2002			PB - F3324
2. Patent application number (The Patent Office will fill in this part)	0228548.4			- 6 DEC 2002
3. Full name, address and postcode of the or of each applicant (underline all surnames)	UNILEVER PLC Unilever House, Blackfriars, London, EC4P 4BQ			
Patents ADP number (if you know it)	1628002			
If the applicant is a corporate body, give the country/state of its incorporation	Great Britain			
4. Title of the invention	MICROWAVABLE FOOD PRODUCT			
5. Name of your agent (if you have one)	Lloyd Wise			
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	Commonwealth House, 1 - 19 New Oxford Street, London, WC1A 1LW			
Patents ADP number (if you know it)	117001 ✓			
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications (and if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day / month / year)	
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing (day / month / year)	
8. Is a statement of inventorship and of right to grant of a patent required in support of this request (Answer 'Yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or any named applicant is a corporate body. See note (d))	Yes			

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.

Do not count copies of the same document

Continuation sheets of this form

Description 13 /

Claim(s) 3 /

Abstract 1 /

Drawing(s) 1 + 1



10. If you are also filing any of the following, state how many against each item.

Priority documents

Translation of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*) x /

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

6th December, 2002

LLOYD WISE

12. Name and daytime telephone number of person to contact in the United Kingdom PAUL BOWMAN
020 571 6200

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay, please contact the Patent Office.

MICROWAVABLE FOOD PRODUCT

This invention relates to microwavable food products and in particular to a microwavable food product comprising a cereal dough.

The use of microwave energy for cooking has been available for many years. However, many foods are considered to be not readily susceptible to microwave cooking since the results are inferior to traditional cooking methods, such as baking. Such foods share the characteristic that microwave energy does not preferentially heat the surface of the food item or else the microwave energy produces an undesirable food texture. Examples of such food products include bread dough, pizza dough, puff pastry dough and the like. In addition, traditional cooking methods may impart a browning and crisp texture to the surface of such food products which is not readily obtained with microwave cooking.

Various attempts have been made to produce microwavable food products comprising bread dough, pizza dough, puff pastry and the like.

EP 0776604A discloses a dough composition suitable for the preparation of a bread roll. The bread rolls are prepared by baking in a conventional oven and thereafter the rolls may be frozen and stored. The bread rolls may be reheated in a microwave oven by applying a susceptor around the bread rolls. Optionally after baking, the bread rolls may be provided with a hole, which hole can be filled with a savoury or sweet filling.

EP 509566 discloses a baked composite dough product comprising a puff pastry layer having attached thereto an anchoring layer of pastry which is provided with at least one edible protective layer having moisture-barrier properties. After baking the composite layer of the baked product is provided with the edible protective layer having moisture-barrier properties and thereafter the product is filled with a moist filling material of the savoury or sweet type. The product may be frozen and stored and heated in a microwave oven.

EP 717595 discloses a laminated dough system comprising alternating layers of dough in laminated fat wherein at least one of the laminated fat layers contains a water binding agent while simultaneously at least one of the outer layers of the system is provided with a moisture barrier layer. The dough may be filled and baked in a conventional oven. Thereafter the baked product may be frozen and stored and reheated in a microwave oven.

EP 303511 discloses a pie product having a bottom crust dough which is suitable for baking and browning in a microwave oven. The pie product comprises:

- a) a tray for supporting the pie, the tray being composed of a microwave-interactive material and being in heat-conductive contact with the bottom crust dough;
- b) a heat-conductive release coating interposed between an interior surface of the tray and the bottom crust dough;
- c) the bottom crust dough is composed of a dough-base having added thereto a reducing sugar and amino acid

sauce in an amount sufficient to promote a chemical surface browning reaction during the desired microwave exposure period; and

- 5 d) a pie filling within the bottom crust dough, the filling comprising less than 90% water.

Commercial food products are known comprising filled pies of raw puff pastry intended for microwave cooking. The
10 pies are supported in a susceptor tray in a cardboard box with a susceptor sheet above the pie to aid browning.

US Patent 5247149 discloses a frozen pizza of uncooked dough covered with a top layer except for an outer layer
15 sauce free ring of dough, which is packaged with a microwave susceptor component which enables the pizza to be cooked in the microwave so that the outer ring is brown and crisp. The microwave susceptor comprises a sheet on which the pizza rests and a component which is
20 either directly on top of or supported above the dough. The susceptor does not cover the entire top of the pizza but is limited to the peripheral region to brown the outer sauce free ring of dough.

25 Various different types of susceptor and packages comprising a susceptor have been proposed for use with microwave cooking products.

WO01/23275 discloses a microwaveable laminate for
30 heating, browning and crisping products.

WO01/30657 discloses a microwave susceptor comprising channel means formed in the obverse face for channelling moisture. A food package comprising a box having a base

comprising said microwave susceptor and the other interior surfaces coated with second susceptor material is disclosed. The package is particularly suitable for cooking meat products.

5

US-A-605469 discloses a microwaveable tray comprising a microwave susceptor material which may have side wall tabs comprising susceptor material which can contact the outer sides of a food item, such as a pizza. The tray
10 may be enveloped in a sealed polymer bag which has a microwave shield above the centre of the food item.

The present invention provides a food product comprising uncooked cereal dough which may be cooked in a microwave
15 oven to provide products having desirable characteristics.

According to the present invention there is provided a food product for microwave cooking comprising a cereal
20 dough that expands on heating, the cereal dough being contained in a package which is dimensioned such that there is free volume within the package defined by the internal surface of the package and such that after proving if necessary, cooking by microwave heating the
25 cereal dough expands and contacts areas (contact areas) of said internal surface so that the shape of the cooked cereal dough is defined, at least in part, by said contact areas, the package comprising susceptor material in at least some of said contact areas to cause browning
30 and/or crisping of the cereal dough during microwave cooking.

It has been found that uncooked cereal dough, that expands on cooking, may be cooked in a microwave oven to provide cooked products having properties similar to conventionally baked products by containing the uncooked dough in a package which is dimensioned such that it has free space but there is intimate contact between the interior surface of the package and the dough as the dough expands upon cooking. The contacting surface of the package comprises susceptor material in order to apply localised heating to the surface which may result in browning and/or crisping. The package is sufficiently resilient such that it provides shape retention to the cooked dough product as it expands thereby defining the shape of the cooked product. Preferably, the upper surface of the food product comprises cereal dough and a substantial proportion, e.g. at least 60%, preferably at least 80%, of the upper surface area of the cereal dough contacts the internal surface of the package when the cereal dough is cooked.

The cereal dough used in the invention must be capable of expansion upon heating.

The mechanism for expansion of the cereal dough is not important. For example, this may be caused by the action of yeast; additives, such as baking powder; the presence of a dispersed fat phase; trapped air in the mix etc. Cereal dough mixes comprising yeast may be proved before or after packaging and cooking. Suitable cereal doughs include bread dough, pizza dough, puff pastry dough, croissant dough, sponge mixes etc. Preferably the uncooked dough expands by at least 50% preferably at least 75%, more preferably at least 100% by volume on proving and cooking.

Many bread dough compositions are known in the art. Conventional ingredients for these doughs include flour, yeast, salt, fat, emulsifier, sugar and water which can
5 be present in various amounts, depending upon the type of dough desired.

Puff pastry dough is generally made from flour, water, salt, shortening material and additives if required.
10 According to one method the dough is rolled to a sheet folded several times and rolled out again, care being taken that the sheets do not adhere more than spotwise by introducing separate layers of fat or dry flour. Upon
15 baking, a light structure of numerous crisp layers is developed.

According to a further method cubes of fat are introduced into the dough and rough blended which results in platelets of fat being distributed throughout the dough.
20 Upon baking the dough expands to form a light structure.

Sponge mixes may also be used in the invention. Sponge mixes generally comprise eggs, sugar and flour with baking powder and little or no fat.

25 The dough may be filled with sweet or savoury filling. Suitable fillings include meat such as poultry, beef, pork etc. which may be minced or diced, vegetables, fruits and the like. Thus, a wide range of good products
30 may be made in accordance with the invention e.g. bread rolls, croissants, sausage rolls, meat pies, fruit pies, pain au chocolate, etc.

The package used in the invention comprises a microwave susceptor material. A microwave susceptor refers to a structure which is capable of absorbing microwave radiation and of becoming hot upon such absorption. A microwave susceptor is typically a laminated structure comprising a thin microwave-absorbing layer disposed between a food contact barrier layer and a structural backing layer. Typically, microwave susceptors are formed by depositing a thin conductive film, usually an aluminium film, onto a polymer substrate and then laminating the resulting metalised polymer film onto a structural backing layer which may be a polymer film or cardboard. The conductive film may be deposited pattern wise as disclosed, for example, in WO01/23275.

Since the susceptor becomes hot upon exposure to microwave radiation it provides localised heating. If the susceptor is in contact with the food product during cooking, browning and crisping of the surface of the product may be obtained. In accordance with the invention, the cereal dough expands upon microwave cooking and comes in contact with the interior surface of the packaging, at least part of which comprises susceptor material, thereby browning and crisping the surface of the dough. The entire interior surface of the package may comprise susceptor material. Alternatively, the susceptor may be positioned only in those areas where localised heating of the surface of the food product is desired.

The package may be rigid or flexible or a combination thereof e.g. rigid base and flexible top. The package is dimensioned to be larger than the uncooked dough product such that there is free space above and optionally to the

sides of the cereal dough product. The dimensions of the package are such that when the cereal dough product is cooked and expands it comes into contact with the interior surface of the package thereby exerting a pressure against the interior surface of the package. The package must be sufficiently resilient that it resists the pressure of the expanding dough thereby defining the shape of the cooked cereal dough. This may readily be achieved by having a box or carton having a base, sides and lid member which may be closed and secured by a flap arrangement. Alternatively, the package may be made of flexible sheet material which envelops the food product and is sealed around its edges. In a further embodiment the food product may be disposed in a tray or container sealed with a lid of a rigid or flexible material.

Depending upon the particular type of food product, the food product may be placed on a base member comprising susceptor material for heating the bottom of the food product. The susceptor material may be corrugated for channelling moisture as disclosed for example in WO01/30657.

The packaging material can additionally comprise an antenna material to control the cooking characteristics of the package e.g. to enhance the differential between outer crispness and inner moisture. Antenna materials are typically conductive elements, usually aluminium, which are preferably thick enough not to self heat when exposed to microwave energy. The antenna material may comprise regions of discontinuous metal foil laminated to a support to reflect and redirect microwaves thereby restricting penetration to the product core and improving

the uniformity of product heating and/or browning as well as shielding specific regions to prevent drying out or overheating.

- 5 The package may comprise a browning dish for browning the base and sides of the dough product. The browning dish may be re-usable.

10 The food products of the invention may comprise freshly prepared cereal dough or the product may be frozen. The cereal dough may be packaged before or after freezing. In general the food product is frozen after packaging. In the case of a yeast containing dough the cereal dough may be frozen before or after proving. The food product
15 may be cooked directly from frozen in a microwave oven, with or without using a defrost cycle.

The invention will now be described with reference to the accompanying drawings in which:

20

Figure 1 represents the plan view of a food product in accordance with the invention and

Figure 2 represents a cross-section along the line A-A
25 shown in Figure 1.

Figures 1 and 2 disclose a food product comprising filled puff pastry e.g. a sausage roll. The food product comprises a package (2) containing a cereal dough product
30 generally shown at (4). The package is formed of a flexible susceptor material which is a laminated structure comprising polymeric layers sandwiching a thin conductive film e.g. aluminium. The metal film may be patterned.

The food product (4) comprises a filling (6) e.g. sausage meat, around which is wrapped one or more layers of puff pastry dough (8). The dough is wrapped around the
5 filling and sealed at (10) in a conventional manner.

The susceptor material is wrapped around the food product and sealed along the major edge (12) and ends (14). The seals may conveniently be formed by heat sealing the
10 polymeric material.

The package is dimensioned to provide free space (16) within the package when the food product is uncooked. Upon microwave cooking the puff pastry dough will expand
15 as shown by the arrows to cause the puff pastry to contact the interior surface (18) of the package. The expanded puff pastry will occupy substantially all the free space (16). The expanded puff pastry applies pressure to the interior surface (18) of the package
20 because of the strength of the seals (12, 14) and thereby the packaging retains the shape of the cooked cereal dough. The presence of the susceptor material results in the entire surface of the food product being crispy and brown.

25

The invention will now be illustrated by the following Examples in which all parts and percentages are by weight unless otherwise indicated.

Example 15 A sate filled bread roll

Recipe:

	<u>Dough</u>	%
	Flour	58.6
10	Water	33.2
	Yeast	2.1
	Salt	1.2
	Fat	2.0
	Bread improvers	1.9
15	Milk powder	1.0
	Total	100

	<u>Filling</u>	%
	Water	41
	Onion	2
	Oil	1
	Flavours	8
25	Peanut butter	18
	Sugar	2
	Milk powder	4
	Turkey	23
	Starch	1
30	Total	100

Methodology:

1. Add all dough ingredients together in a spiral dough mixer and mix for three minutes on slow speed and seven
5 minutes on fast speed.
2. Bulk prove (covered) for twenty minutes at 24°C and 80% RH.
3. Roll dough to a sheet to 3mm thickness.
4. Cut into rectangles 9cm by 10cm.
- 10 5. Place a cylinder of filling in the middle (filling 7.5cm by 2cm x 2.5cm).
6. Fold and seal the dough so that the resulting product is 10cm by 2.5cm x 4cm in size.
7. Wrap in flexible, fused susceptor (22cm by 22.5cm)
15 and heat seal (4cm in from long edge and 2cm in from ends).
8. Prove for sixty minutes at 24°C and 80% RH.
9. Blast freeze at -30°C for two hours then store at -18°C for use (frozen product is 10cm x 2.5cm x 5cm).

20

After cooking the frozen product in a microwave oven for 2.5 minutes at 1000watts the dimensions of the bread roll are 11.5 x 4 x 5cm and the surface of the bread roll is pressed against the susceptor. The bread roll has a
25 crisp brown surface and good interior texture.

Sausage Roll

Recipe:

- | | | |
|----|--------------|-----|
| 30 | Puffy pastry | 60% |
| | Sausage meat | 40% |

Methodology:

1. Roll out puff pastry to 3mm using pastry brake. Cut into squares 9cm x 9cm.
- 5 2. Add cylinder of sausagemeat (7cm x 2cm x 2.5cm) to pastry and fold pastry over meat and seal edges. Resulting raw product is 9.5cm x 2.5cm x 3.5cm.
3. Score sausage roll three times on top.
4. Wrap in flexible, fused susceptor (22cm by 20cm) and
- 10 heat seal (4cm in from long edge and 1.5cm in from ends).
5. Blast freeze at -30°C for two hours then store at -18°C .

After cooking in a microwave oven for 2.5 minutes at
15 1000Watts the sausage roll dimension is 9cm x 4.5cm x 5cm with the surface of the sausage roll pressed against the packaging. The sausage roll has a crisp, brown surface.

CLAIMS

1. A food product for microwave cooking comprising a cereal dough that expands on heating, the cereal dough being contained in a package which is dimensioned such
5 that there is free volume within the package defined by the internal surface of the package and such that when the cereal dough is cooked by microwave heating the cereal dough expands and contacts areas (contact areas) of said internal surface so that the shape of the cooked
10 cereal dough is defined, at least in part, by said contact areas, the package comprising susceptor material in at least some of said contact areas to cause browning and/or crisping of the cereal dough during microwave cooking.
15
 2. A food product as claimed in Claim 1 in which the upper surface of the food product comprises cereal dough and at least 60% of the upper surface area of the cereal dough contacts the internal surface of the package when
20 the cereal dough is cooked.
 3. A food product as claimed in Claim 2 in which at least 80% of the upper surface of the cereal dough is in contact with the internal surface of the package when the
25 cereal dough is cooked.
 4. A food product as claimed in any preceding claim in which the cereal dough is selected from bread dough, pizza dough, puff pastry dough, croissant dough and
30 sponge mix.
 5. A food product as claimed in any preceding claim in which the cereal dough is filled with a savoury or sweet filler.
-

6. A food product as claimed in Claim 5 in which the filler is selected from meat, vegetables, fruit and combinations thereof.

5

7. A food product as claimed in any preceding Claim in which the package comprises a flexible sheet material.

10

8. A food product as claimed in Claim 7 in which the package consists of flexible sheet material which is wrapped around the cereal dough and sealed around its edges.

15

9. A food product as claimed in any one of Claims 1 to 6 in which the package is in the form of a box or carton.

10. A food product as claimed in any preceding claim in which the cereal dough is positioned in a dish or on a plate of susceptor material.

20

11. A food product as claimed in any preceding claim in which the substantially all of said interior surface of the package comprises the susceptor material.

25

12. A food product as claimed in any one of Claims 1 to 10 in which the package additionally comprises antenna material.

30

13. A food product as claimed in any preceding claim in which the food product is a bread roll, meat pie, fruit pie or sausage roll.

14. A food product as claimed in any preceding claim in which the cereal dough comprises yeast and the cereal dough is proven.

5 15. A food product as claimed in any preceding claim in which the cereal dough is frozen.

16. A food product as claimed in Claim 15 in which the cereal dough is frozen after packaging.

10

17. A food product as claimed in Claim 15 or Claim 16 in which the cereal dough comprises yeast and is frozen after proving.

15 18. A food product as claimed in Claim 15 or Claim 16 in which the cereal dough comprises yeast and is frozen without proving.

20 19. A method of cooking a food product which comprises the steps of providing a food product as claimed in any preceding claim and cooking said food product in a microwave oven.

ABSTRACT

A food product for microwave cooking comprising a cereal dough that expands on heating, the cereal dough being
5 contained in a package which is dimensioned such that there is free volume within the package defined by the internal surface of the package and such that when the cereal dough is cooked by microwave heating the cereal dough expands and contacts areas (contact areas) of said
10 internal surface so that the shape of the cooked cereal dough is defined, at least in part, by said contact areas, the package comprising susceptor material in at least some of said contact areas to cause browning and/or crisping of the cereal dough during microwave cooking.

15




Figure 1




Figure 2

PCT Application
EP0313570

